




STOCK CODE	DESCRIPTION	SALE PRICE
006-900	LC2 Control Valve Assembly	\$860.00
03169809	Black Steel Reducer - 1" BSPT Male Thread x 3/4" BSPT Female thread.	\$7.00
03173507	Black Steel 90 Degree Elbow - 3/4" BSPT Male Thread x 3/4" BSPT Female thread.	\$20.00
1000635X091ZP	Plated Tube 1/4" Outside Diameter Cut To 1 Metre Units	\$5.00
10008X100ZP	8mm mm Zinc Tube X 1.0 mm Wall	\$5.00
1000953X122ZP	Tube 3/8" OD X 1.22mm (18 SWG) Zinc Plated. Design Working Pressure - 361 Bar.	\$7.00
10016X150ZP	16 mm Zinc Tube X 1.5 mm Wall	\$9.90
1001905X163ZP	Tube 3/4" OD X 1.63mm (16 SWG) Zinc Plated. Design Working Pressure - 241 Bar.	\$9.50
1047.290	Piston Outlet Seat PV6070	\$60.00
1059.290	Bypass Seat PV6070	\$35.00
1089.476	Oil Seal High Pressure	\$190.00
113-900	Valve Hand Lever Control Suit RM110 Equal Bias	\$545.00
1188.288	PF13** Camshaft 8 Deg 1304799 Keyed	\$340.00
1241.098	Dynex Rear Cover	\$180.00
1300.482	DC Tube 1" Diameter. High Pressure (2500 PSI) Tank.	\$190.00
130-003	Adapter, Inlet G1/2 BSP Suit RM110 Series	\$340.00
130-005	Cover, Valve Exhaust 3/4 BSP Suit RM110 Series	\$150.00
1306.264	24 VDC coil DIN connection to suit Dynex valve. (Cetop5)	\$175.00
223-900	Valve Hand Lever Control Suit RM210 Equal Bias	\$920.00
29269100	Manual Override Rubber Boot Complete With Push Pin Moulded In Rear.	\$2.50
33400-2424	1 1/2" BSPT X 1 1/2" Hose 90 Degree	\$70.00
373245	WEV 20S 3/4 NPT ELBOW - Formally Ryco R8209S20-28	\$30.00
391-19	12 VDC 125 Amp Continuous Duty Start Solenoid, Steel Case	\$20.00
3920-68	UM2 Manifold With UN-Ring Ports On Top Face	\$45.00
479-0001PT	Intermediate Plate	\$95.00
483-9004	Detent Kit Rpr3-06 Valves	\$20.00
485-9980	Soft Start Kit Cetop 5 (T3)	\$15.00
510-084	Foot Mtg Bracket	\$310.00
6070-0612	600 Series Field Attachable Insert, 90Deg Compact Elbow Female Swivel 3/4" JIC To Suit 3/8" ID Hose	\$15.00
6240-0612	600 Series Field Attachable Insert, 90Deg Short Tube Bend Female Swivel 3/4" JIC To Suit 3/8" ID Hose	\$20.00
790-015	Base Plate	\$160.00
801-1208	1/2 BSPT - 3/4 Barb	\$15.00
807-063	Roller Bearing (Suits RM510 & RM610 Output Shaft Bearing Outer) (RM510 & RM610 Park Brake Bearing)	\$190.00



807-1217	Fitting 1.1/16JIC-3/4' ID 800 Series Suction Hose Barb	\$35.00
936-2485	Cetop5 Valve 240 Volts AC Coil (31mm Core Diameter)	\$40.00
936-4325	24 Volt Coil with integrated quenching diode (bipolar transil diode) and E4 terminal for AMP electrical connector.BS06-24V-HJ-1. 1.29Amp 31Watt, 22mm ID.	\$25.00
AG1520AB	Ag. Cyl 1.50" Bore X 20" Stroke. Rear & Front Clevis Mounted.	\$115.00
AG2002AB	Ag. Cyl 2.00" Bore X 2" Stroke. Rear & Front Clevis Mounted.	\$80.00
AG2004AB	Ag. Cyl 2.00" Bore X 4" Stroke. Rear & Front Clevis Mounted.	\$95.00
AG2036AB	Ag. Cyl 2.00" Bore X 36" Stroke. Rear & Front Clevis Mounted.	\$150.00
AG2042AB	Ag. Cyl 2.00" Bore X 42" Stroke. Rear & Front Clevis Mounted.	\$180.00
AG2542AB	Ag. Cyl 2.50" Bore X 42" Stroke. Rear & Front Clevis Mounted.	\$195.00
AG3506AB	Ag. Cyl 3.50" Bore X 6" Stroke. Rear & Front Clevis Mounted.	\$135.00
AG3508AB	Ag. Cyl 3.50" Bore X 8" Stroke. Rear & Front Clevis Mounted.	\$140.00
AG3510AB	Ag. Cyl 3.50" Bore X 10" Stroke. Rear & Front Clevis Mounted.	\$145.00
AG3512AB	Ag. Cyl 3.50" Bore X 12" Stroke. Rear & Front Clevis Mounted.	\$165.00
AG3518AB	Ag. Cyl 3.50" Bore X 18" Stroke. Rear & Front Clevis Mounted.	\$180.00
AG3520AB	Ag. Cyl 3.50" Bore X 20" Stroke. Rear & Front Clevis Mounted.	\$185.00
AG3524AB	Ag. Cyl 3.50" Bore X 24" Stroke. Rear & Front Clevis Mounted.	\$215.00
AG3536AB	Ag. Cyl 3.50" Bore X 36" Stroke. Rear & Front Clevis Mounted.	\$245.00
AG4008AB	Ag. Cyl 4.00" Bore X 8" Stroke. Rear & Front Clevis Mounted.	\$175.00
AG4012AB	Ag. Cyl 4.00" Bore X 12" Stroke. Rear & Front Clevis Mounted.	\$185.00
AG4016AB	Ag. Cyl 4.00" Bore X 16" Stroke. Rear & Front Clevis Mounted.	\$195.00
AG4020AB	Ag. Cyl 4.00" Bore X 20" Stroke. Rear & Front Clevis Mounted.	\$495.00
AM3-CP-B/10	"B" Ported POCV Assembly. Standard Cracking Press 2 Bar. Press Rating 320 Bar.	\$110.00

		
AM3-FX-AB/10	Cetop 3 Sandwich Type Flow Control Valve Assembly With Meter In Reverse Free Flow Control In "A" Port & "B" Port. Standard Cracking Pressure 0.4 Bar. Pressure Rating Of Valve 320 Bar.	\$85.00
AM3-MO-BA-20/20	Cetop 3 Sandwich Type Pressure Relief Valve Assembly. Independent Relief On Ports "A" & "B" With Discharge Back To Tank Port.	\$135.00
AM3-MP-BA-20/20	Cetop 3 Sandwich Type Pressure Relief Valve Assembly. Independent Relief On Ports "A" & "B" With Crossed Discharge.	\$165.00
AM3-RO-A-12.5/10	Cetop3 Pressure Reducing Valve. 60 LPM 320 Bar Control On "A" Port. 30 - 140 Bar Range	\$145.00
AM89	2.2Kw 4Pole, D100 Frame, B5/B3 Mount, 240 Volt AC, 1 Phase, 28 mm Shaft. Steel Fan Cowling Cover. (This Part Number Is An MT Series Motor).	\$275.00
AM90	2.2Kw 4Pole, D100 Reduced to D90 Frame, B5/B3 Mount, 240 Volt AC, 1 Phase, 28mm Shaft	\$490.00
AMF-CP-AB	RPEK Pilot Operated Check On A + B Ports. (Note Requires The HDF2-ES-* Valving To Operate).	\$75.00
AMF-MO-AB	Subplate RPEK Relief A+B	\$90.00
B03-230A	Coil 230 Volts AC. Suit Cetop 3 Valve Models "HD3-ES/10". Core Tube Centre Hole 22 mm.	\$25.00
B05-024C	Coil 24 Volts DC. Suit Cetop 5 Valve Models "HD5-ES/20". Core Tube Centre Hole 31 mm.	\$35.00
B68-0554068	Bantam Muffler 3/4" BSPT Male Thread. 560 SCFM Flow @ 90psi. Zinc-plated steel and brass acoustical element, which softly disperses exhaust air uniformly over a 360° pattern. Overall length - 3-7/8"	\$35.00
B-H10	Adaptor Manifold for HDF Series Stackable Valve to suit BOSS Power Packs. Horizontal Mount. (see P/No. B-KH10 For Kit c/w BS-018 O'Rings, M8x75 Bolts & 1/4" BSPP Plugs) STAMPED WITH PART NUMBER - 560040. Suits centre manifold 500208	\$20.00
BOSS-240L-AUS	0.55kW 4 Pole, D80A Frame, B14A/B3 Mount, 240 Volt AC, Single Phase, 19mm Shaft	\$135.00
BOSS-415H-AUS	4kW 2Pole, D112 Frame, B14A/B3 Mount, 415 Volt Ac, 3 Phase, 28mm Shaft	\$315.00
B-U09	9/16" UNF Banjo Bolt. Suits SOCV & DOCV Series	\$35.00



# GARAGE SALE

HUGE DISCOUNTS OFF REGULAR PRICES  
LIMITED TIME ONLY - WHILE STOCKS LAST

C5.3516-50	Level Temp Gauge 127X12 mm	\$35.00
CABLE3CORE	Cable 1 mm 2Core+Earth (Light Blue, Brown & Green/Yellow)	\$1.50
CABLE4CORE	Cable 1 Mm 3Core+Earth (Light Blue, Brown & White Or Black)	\$4.00
CABLE-JOB-222856	Extra Cable For "LOOMH415SSUDP" 15 Mtrs.	\$2.00
CBD1-F203.7L4Z-CC	Gear Pump GP1 Din 3.7 cc/Rev. Max Rated Pressure 250 Bar. Rated Running Pressure 200 Bar. G3/8" Ports Both Sides. Clockwise Rotation.	\$55.00
CBD1-F520F36Z2	Gear Pump GP3 Din 20.0 cc/Rev. Max Intermittent Pressure 250 Bar. Rated Working Pressure 200 Bar. Max Speed 3000 RPM. 4 Bolt Flange Ports (Diamond Style), Suction 27mm Port (56mm PCD with 4x M10 Bolts). Pressure 19mm Port (56mm PCD with 4x M10 Bolts). Clockwise Rotation.	\$85.00
CBD1-F526F36Z2	Gear Pump GP3 Din 26.0 cc/Rev. Max Intermittent Pressure 250 Bar. Rated Working Pressure 200 Bar. Max Speed 3000 RPM. 4 Bolt Flange Ports (Diamond Style), Suction 27mm Port (56mm PCD with 4x M10 Bolts). Pressure 19mm Port (56mm PCD with 4x M10 Bolts). Clockwise Rotation.	\$85.00
CBS-F1.0F	APU Type Pressure Loaded Gear Pump (0.061 Cubic Inches / Rev) (1.0 Cubic Centimetres / Rev). 9 Tooth Spline Shaft. Complete With Internal Check Valve & Relief Valve. CCW Rotation, 2000 - 3450 RPM. Efficiency Approx 90%. Inlet Port: 3/4 -16 SAE ORB (side). Outlet Port: 9/16-18 SAE ORB (side). *** (Pump Code 'M') ***	\$125.00
CBS-F2.1F	APU Type Pressure Loaded Gear Pump (0.132 Cubic Inches / Rev) (2.1 Cubic Centimetres / Rev). 9 Tooth Spline Shaft. Complete With Internal Check Valve & Relief Valve. CCW Rotation, 2000 - 3450 RPM. Efficiency Approx 90%. Inlet Port: 3/4 -16 SAE ORB (side). Outlet Port: 9/16-18 SAE ORB (side). *** (Pump Code 'N') ***	\$125.00
CBTS-F304L6Z1	Gear Pump GP2 Din 4.0 cc/Rev. Max Rated Pressure 250 Bar. Rated Running Pressure 200 Bar. G1/2" Ports Both Sides. Clockwise Rotation.	\$80.00
CP16	Aluminium Tank 16 Litre	\$165.00
D12A-X	Minipro End Section, X Spool (A & B to Tank)	\$130.00
D12B-H	Minipro Hand Pump Section	\$140.00
D12B-L	Minipro Mid Section L Spool	\$125.00



# GARAGE SALE

HUGE DISCOUNTS OFF REGULAR PRICES  
LIMITED TIME ONLY - WHILE STOCKS LAST

D12B-LOOM5	Minipro Wire Loom 5 Section	\$30.00
D12B-X	Minipro Mid Section, X Spool (A & B to Tank)	\$125.00
D6-7003.0107	6 WAYS MANUAL FLOW DIVERTER VALVE, G3/8 Ports, Closed Centre, Cast Iron Body, White Zinc Plated External Parts, Black Paint, 60+60 LPM, 350 Bar	\$75.00
DM12V-05-ST	12v 2.5kw motor to suit Boss packs. Note: This Motor Has Single Terminal	\$85.00
DM24V-03-STT	24v 1.6kw motor to suit Boss packs. 1 Terminal Motor 1.6kW rating 176mm Long Face To End When Mounted. Fitted With 120 Degree Thermal Cut out Switch	\$95.00
DM24V-04	24v 2.0kw motor to suit Boss packs	\$110.00
DM24V-05-ST	24v 2.5kw motor to suit Boss packs. Note: This Motor Has Single Terminal	\$80.00
DPC-08	Double Pilot Operated Check Valve. Cartridge Style	\$15.00
DPOCVBU-12	Double Pilot Operated Check Valve With 3/4" UNF Banjo Kit.	\$154.00
E26	E2 3/8" 2 Wire Hose Black Oil Resistant Synthetic Rubber	\$15.00
E28	E2 1/2" 2 Wire Hose Black Oil Resistant Synthetic Rubber	\$20.00
EP16W2A06P05-WN	Solenoid Poppet Valve. 2 Way Normally Open. C16-2 Cavity	\$125.00
ER	Electrical Indicator For Return Filter Assembly.	\$45.00
ES	Electrical Indicator For Suction Head Applications.	\$55.00
FDA-2R3.0S	TWO SECTION ROTARY FLOW DIVIDER 3.0 cc/rev (0.194 in <sup>3</sup> /r)PER SECTION, REPHASING RELIEF VALVES SET AT 17.5.0 Mpa +/- 0.70 Mpa; 3/4-16 SAE ORB INLET, 9/16-18 SAE ORB OUTLET PORTS, FOOT MOUNTING BRACKETS	\$165.00
FNA016-193	Offline Filter Unit 24 Volts DC	\$990.00
FT1251234	3/4" Inline Adj. Needle Valve 210Bar 80LPM	\$115.00
HAT26A2200OA3/4X3/4JC	HAT26A*2200-OA*T204-0612*T204-0612 Hose Assy. Avenger 2 Wire T2A 3/8" I.D. x 2200mm Over All. c/w 2x 3/4 JIC Male Hose Ends. Max W.P. 350bar(5100psi) Min. Burst 1400bar(20400psi)	\$55.00
HD2-ES-1C-0000	Solenoid Operated Cetop2 Valve. 3 Position 4 Way. Spring Centred. All Ports Closed In Centre Position. Core Tube Diameter 19mm	\$80.00
HD2-ES-4C-0000	Solenoid Operated Cetop2 Valve. 3 Position 4 Way. Spring Centred. Ports P Open To T / Ports A & B Closed In Centre Position. Core Tube Diameter 19mm	\$95.00



HD3-ES-1LL-0000/10	DCV. Solenoid Operated - Single Solenoid 2 Position Valve Spring Offset P - A & B - T In Offset Position. No Coils. Coil Armature Stem 22mm.	\$85.00
HD3-ES-4C-0000/10	DCV. Solenoid Operated - Double Solenoid 3 Position Valve Spring Centred P - T With A & B Blocked In Centre Position. No Coils. (22mm Coil Stems)	\$99.00
HD3-PS-1-05-C-K-R4/10	Proportional Directional Control Valve. Solenoid Operated - Cetop 3 (32Mpa Max). Spool Flow 5 LPM With Delta P = 1 MPA (10 Bar). All Ports Closed In Centre Position. 24 VOLTS. 13.4 Ohms Coil.	\$345.00
HD3-PS-1-R-C-K-R4/10	Proportional Directional Control Valve. Solenoid Operated - Cetop 3 (32Mpa Max). Spool Flow 16 LPM With Delta P = 1 MPA (10 Bar). All Ports Closed In Centre Position. 24 VOLTS. 13.4 Ohms Coil.	\$320.00
HD5-ES-3C-TR-0000/20	Directional Control Valve. Solenoid Operated - Cetop 5 (32Mpa Max) Double Solenoid 3 Position Valve Spring Centred P Blocked With T & A & B Open In Centre Position. Valve Fitted With Adjustable Soft Shift Spool. No Coils.	\$135.00
HDF2-ES-3C-0000/15	Directional Control Valve. Solenoid Operated - Stackable Type HDF(*)-ES-* Three Position This Valve Has The Additional "A" & "B" Port Variants On Mounting Surface. Work Ports "A" & "B" Open To Tank In Centre.	\$65.00
HDF-ES-4C-0000/10	DCV. Solenoid Operated - 3 Position No Port Variants. "A" & "B" Closed & "P" To "T" Open. Core Tube 13.4 mm O.D.	\$70.00
HR6-A/B/C	Steel Tank Suit AC Electrical Motor. 37.85 Litre / 10 Gallons Useable Volume Dimension Approx 300mm x 250mm x 593mm Long. C/W 3 Optional Breather Ports + Drain Port	\$125.00
KIT-M6X130	Stackable Valve Stud Kit Suit ?	\$7.00
KIT-M6X167	Stackable Valve Stud Kit Suit ?	\$15.00
KIT-M6X287	Stackable Valve Stud Kit Suit 8 Section With 14mm End Blanking Plate Attachment.	\$10.00
KIT-M6X40	Stackable Valve Bolt Kit Suit ?	\$10.00
KP20009060	Mounting Bracket Kit Suit PF2000 / MV2000 Series Units	\$330.00
KP20249010	Standard Seal Kit Suit PV2000	\$185.00
KP20249051	Dynex Cradle Assembly Suit PV2029-3239	\$315.00
KP20249069	Load Sense / Pressure Compensator Controller To Suit PV2029-3393 Pump. Pressure Set To 4000PSI	\$1,220.00






# GARAGE SALE

HUGE DISCOUNTS OFF REGULAR PRICES  
LIMITED TIME ONLY - WHILE STOCKS LAST

KP210/PN10AJ13/1000M	KP210 3/8" ID Hose. Fitted With 3/4" JIC Straight Female Swivels On Both Ends. Hose Assembly 1000mm Overall.	\$30.00
KP60549010	Seal Kit Nitrile Kit (For Viton see KP60549011)	\$255.00
KR70GAS	Gasket To Suit A Kr70 Tank	\$15.00
KR74GAS	Gasket Kr74 & 75 & 79 Tanks	\$15.00
KR76GAS	Gasket Kr76 Tank	\$15.00
KR76RAW	Tank 200 Litre Raw	\$435.00
KR77GAS	Gasket Kr77 & 78 Tank	\$15.00
L000-06	3/8" 2 Wire Hose Ferrule. Field Attachable.	\$5.00
LC-08-S-5B	10 VDC Square Coil With Dual Spade (Only to be used with LSPC-080-4-00 KTI Proprietary Load Holding Valve)	\$5.00
LC1VRPMIP	Cetop 3, Modular (Sandwich) Pressure Reducing Valve, 310bar, 40lpm.	\$310.00
LG2	Level Gauge 5" M12 Thread. 127mm Between Bolt Hole Centres.	\$10.00
LOOM-MODIFY	Modification To Existing	\$195.00
M11440	Mackay Rubber Vibration Mounting Pad	\$40.00
MAF-KIT-2	Mounting Angles Kit Suit HDF(*)-ES Valves C/W 2 X M6 Screws & Washer.	\$20.00
MB-3/1S-3/010001/G-3/M3	(MB3-D-B-H) MB3 Series 1 Spool Valve. Cylinder Spool Configuration. G3/8" All Ports. (No High Pressure Carry Over Plug Fitted but is Supplied Loose)	\$40.00
MF2224-2995	Dynex Hydraulic Motor. SAE 2 Bolr Mounting Pattern. Keyed Shaft 7/8"	\$1,470.00
MODIFYLOOM-0547	Modify Loom	\$295.00
MS100SCNTR14K	Pressure Switch 10 - 100 Bar 1/4" BSP	\$60.00
MTS2-10/C	Sub Plate Cetop 5 M/Switch A+B Port	\$70.00
MTS2-10/P	Sub Plate Cetop 5 M/Switch P Port	\$65.00
PD1-03/32-5	Inlet Plate, Stackable With HDF(*)-ES Valves. 3/8" BSPP Ports. 20Mm Thick Plate.	\$20.00
PM12-S	Double Acting Hand Pump For Single Acting Cylinder. With Release Hand Knob No Pressure Relief Valve Fitted. 12 cc/full stroke.	\$99.00
PM25-S	Dual action Hand Pump For Single Acting Cylinder. 25 cc/full stroke	\$75.00
PM2V-5-80-LMS	Dual action Hand Pump 1st Stage = 80cc 20bar, 2nd Stage = 5cc 500bar	\$175.00

		
PM45-S	Double Acting Hand Pump For Single Acting Cylinder. 45 cc/full stroke. (On Stock Out Use PM45-byB-s)	\$85.00
PMD12-S	D/Acting Hand Pump. 12cc/full stroke, 3 pos 4 way closed ctr valve	\$90.00
PNDV-12-P-B	Pressure Compensated Flow Control Valve 1/2" BSPP Ported	\$235.00
PTHA0074A4	Adaptor D90-D71 Aluminium	\$75.00
PTHA0280A4	Non Standard KR76 Lid With 30mm Extension All Around And 30mm Bund. Holes For D160L Frame Motor / E103-888 Filter / Manifold / Filler-Breather	\$135.00
Q17-025-0475	Bolts SHCS-1/4"-20 x 4 3/4"	\$2.50
R110-0608FM	Flat Face Coupling Set Includes Male Tip & Female coupling. 1/2" Female BSPP Thread. Maximum Working Pressure 350 Bar	\$120.00
R8209S25-35	Elbow 25 mm Pipe- 1 NPT	\$40.00
R8211S20-27	R8211S20-27	\$10.00
R933000102	Solenoid coil suit LC series Cetop3 Valve 24 VDC	\$70.00
RA1205-0812	1/2" BSPP Male x 3/4" JIC Straight Female Swivel Fitting	\$5.00
RH06026F	Cetop3 Flow Approx 60 Litres Per Minute. Maximum Operating Pressure Approx 320 Bar. Pneumatic Pilot Operated Valve. "P" to "T" open in centre With "A" & "B" Port Closed	\$195.00
RH-56	RAWHIDE Nylon Hose Sleeve, Nominal Inside Diameter 55.6mm, Nominal Wall Thickness 2.5mm, Nominal Inside Flat Dimension 87.4mm	\$15.00
RM012-PXX	Compact Piston Motor. Develops 12Nm Torque High Density Plastic Body Water Resistant Non ATEX rated. Stainless Shaft Shaft & Covers.	\$1,455.00
RM025-1-A-0	Compact Piston Motor (NOTE: Limited Availability For This Item). Due to be phased out and replaced by SXX series.	\$845.00
RM17TG00	Phase Rotation Relay	\$120.00
RO-BP08	O-Rings 1/2" BSPP Thread	\$1.00
ROD-BP08	O-Rings 1/2" BSPP Thread	\$10.00
ROD-SF12	O-Ring Suit SAE 3/4" Flange	\$11.50
RPE3-042A51/02400E1V	Cetop2 Valve 4W2P, Spring Return, Single Solenoid, De-Energized P-A, B&T Blocked. Energized P-B, A&T Blocked. 24VDC Coil to suit DIN Connector. Viton Seals.	\$145.00
RPE3-102R11/V	Solenoid Operated Cetop 5 4W2P No Coil Fitted.	\$90.00
RPE3-103C11/V	Solenoid Operated Cetop 5 4W3P No Coil Fitted.	\$120.00





RPE3-103Y11/V	Solenoid Operated Cetop 5 4W3P No Coil Fitted.	\$135.00
RPE3-103Z11/V	Solenoid Operated Cetop 5 4W3P No Coil Fitted.	\$99.00
RSC-5155	Hose Clamp Suit Suction Hose "SRF24"	\$7.00
S102-2416	Reducing Bush 1.1/2"-1" BSPP	\$50.00
S105-0404	Fitting Elbow 1/4-1/4 BSP	\$15.00
S105-1212	Fitting Elbow 3/4-3/4 BSP	\$25.00
S105-2020	Fitting Elbow 1-1/4 BSPP	\$65.00
S130P-0812	1/2 BSP-3/4 Un Bulkhead	\$0.00
S134-1714	J-Lok Nut / Olive 1 1/16	\$30.00
S134-2116	J-Lok Nut / Olive Kit 1 5/16" (Suit 1" OD Tube)	\$30.00
S25N-0202	1/8 NPT Male X Female Elbow	\$10.00
S28N-0606	3/8NPTm-90Deg 3/8Npsm Fem	\$15.00
S4-0909	Elbow Sweep 9/16JIC M-F	\$10.00
S48N-060606	3/8" NPT Tee Male/Female/Female	\$20.00
S61-0812	Adaptor BSPTm X JICfs	\$15.00
S61N-0612	Adaptor NPTm X JICfs	\$20.00
S68-090909	Fitting Tee 9/16JIC mmfs	\$15.00
S65-1208	Nut & Short Sleeve 3/4" JIC (1/2" OD Tube).	\$3.50
S70-0812	Extended Elbow 1/2" BSP Male 3/4" JIC Male	\$30.00
S76-0407	1/4" BSPP - 7/16" JIC Male Elbow	\$15.00
S76-0808	1/2" BSPP - 1/2" JIC Male Elbow	\$15.00
S76-1221	3/4" BSPP - 1.5/16" JIC Male Elbow	\$30.00
S78-081212	3/4" JIC X 3/4" JIC - 1/2" BSPP Tee	\$25.00
S79-090906	JICm X JICm X BSPPm Tee	\$20.00
S7N-0617	Nipple 3/8" NPT Male x 1 1/16" JIC Male Straight Nipple	\$15.00
S8-0812	Elbow 1/2BSPTm-3/4JICm	\$7.50
S80N-0404	Fitting - 1/4" NPSM Female Swivel x 1/4" NPT Male	\$10.00
S82N-0404	1/4NPT M - 1/4 Npsm Elbow	\$10.00
S91-1712	Male Nipple 1 1/16"JIC-3/4"" UN O-Ring Elbow	\$20.00
SGB-140	SAE 100R4 Suction/Delivery Hose 1-1/2"	\$35.00
SHCS5/16UNCX5-BLK	Cap Screw 5/16" UNC X 5 1/4" Long. Black	\$3.50
SMK20-JIC1/2-PK-C6F	Test Point-JIC Connection type K. Thread Form 3/4"-16UNF. Suits 1/2" OD Tube.	\$25.00
SMK20JIC7/16	Test Point 7/16JIC Female	\$25.00
SMS20M1/4-2000B-1	Test Hose Assembly. Pressure Gauge 1/4" BSPPF One End, 1620 Female Swivel Test Point On The Other End. 2000 mm long Over All	\$25.00
SP4430.16	Magnetic Plug M30 X 1.5	\$10.00



# GARAGE SALE

HUGE DISCOUNTS OFF REGULAR PRICES  
LIMITED TIME ONLY - WHILE STOCKS LAST

SPOCVBU-12	Single Pilot Operated Check Valve With 3/4" UNF Banjo Kit.	\$130.00
SPOOL-HD2-ES-0C	***Use P/No. 20954300***All Ports Open Spool to suit HDF-ES-0C-0000/10	\$4.06
T03-2S	Cetop3 Stem Core Tube To Suit Model # "HD3-ES/20" Core Tube Diameter 19mm OD.	\$25.00
T03-S	Cetop3 Stem Core Tube To Suit Model # "HD3-ES/10" Core Tube Diameter 22mm OD.	\$30.00
T26A1000T2020604T2020608	Hose Assembly: T26A 3/8" 2 Wire Hose, C/W T202-0604 One End & T202-0608 On Other End Seat To Seat Length = 1000mm	\$40.00
T28A	1/2 2 Wire 5000Psi Hose ***Obsolete use T12D (Same hose but improved cover)***	\$15.00
TA2A0254-TML	0.25Kw 2Pole, D63L Frame, B5/B3 Mount, 240 Volt AC, 1 Phase, 11mm Shaft	\$115.00
TS2-18-0	Pressure Switch 5-180 Bar	\$135.00
TS2-35-0	Pressure Switch 350 Bar	\$120.00
TSE-D-2-400	Digital Programmable Pressure Switch	\$150.00
TSV-08-2NCP-M	2 Way / 2 Position Solenoid Actuated, Spring Return Valve. 3/4" UNF-16 TPI Threaded. Manual Over Ride Button Fitted. Used As An Unloading Valve	\$25.00
TSV2-08-4CO	4 Way / 2 Position Spool Type Cartridge Solenoid Valve.	\$25.00
UED-D	Universal Electronic Amplifier / Driver For BiSolenoid Proportional Directional Control Valve. Latest Design	\$365.00
VJR2-10/MAV	Cetop 5 Single Check A Port Vi	\$125.00
VJR2-10/MCV	Cetop 5 Double Check Module Vi	\$170.00
VPN1-06/MP21SV	Cetop 3 Sandwich Type Pilot Operated Relief Valve Module 210 Bar Max	\$110.00
VPN2-10/MP21SV	Cetop 5 Pilot Operated Relief Valve 210B V	\$135.00
VPN2-10/MP32SV	Cetop 5 Pilot Operated Relief Valve 320B Vi	\$120.00
VPP1-10-SV-10	Hytos Relief Valve Cartridge to suit CETOP 5 Body	\$105.00
VPP1-10-SV-32	Hytos Relief Valve Cartridge to suit CETOP 5 Body	\$105.00
VPP2-06-SV-10	Hytos Relief Valve Cartridge to suit CETOP 3 Body	\$65.00
VPP2-06-SV-16	Hytos Relief Valve Cartridge to suit CETOP 3 Body	\$65.00
VPP2-06-SV-2.5	Hytos Relief Valve Cartridge to suit CETOP 3 Body	\$65.00
VPP2-06-SV-25	Hytos Relief Valve Cartridge to suit CETOP 3 Body	\$70.00
VPP2-06-SV-6.3	Hytos Relief Valve Cartridge to suit CETOP 3 Body	\$65.00
VS12C	Vane Motor 2" BSPP Ported. Supplied C/W Air Exhaust Silencer. D100 Mount. 14kW Motor	\$2,625.00
VSO2-10/MAS	Throttle Check Valve	\$125.00



VSO2-10/MASV	Cetop 5 Flow Control A Port Check Vi	\$95.00
VSO2-10/MCSV	Cetop 5 Flow Control A & B Port Check V	\$99.00
VSS1-306-16-11	Pressure Compensated Flow Control Sandwich Type Valve NOTE: Flow Rate Is Up To 16 LPM (4.2 GPM) NBR Seals	\$110.00
WRCP-2-D	Wireless Remote Control 2 Button Pendant. (Transmitter & Receiver)	\$55.00
WRCP-4	Wireless Remote Control 4 Black Button Pendant. (Transmitter & Receiver) 12 & 24 VDC	\$80.00
YS500	Air Motor, Peak Power 22kW (31HP).	\$6,500.00
YS600	YS600 Series Air Motor, Peak Power 23kW (33HP). Front Flange Mounting (Mounting Hole PCD - 350mm). Motor Shaft Diameter 35mm. Inlet/Exhaust Ported 2" BSP	\$6,700.00
ZT-L12G-2OMS	Monoblock Hydraulic Valve 2 Station. 1/2" BSPP Ports. Nominal Diameter 12mm. Maximum Pressure 315 Bar. Nominal Flow Rate 50 LPM. Fitted With Cylinder Spool. Three Position Spring Centred Lever Control. Valve Is Fitted With Micro Switches. High Pressure Carry Over Option With Plug Loose In Box.	\$235.00
ZT-L12G-3OMS	Monoblock Hydraulic Valve 3 Station. 1/2" BSPP Ports. Nominal Diameter 12mm. Maximum Pressure 315 Bar. Nominal Flow Rate 50 LPM. Fitted With Cylinder Spool. Three Position Spring Centred Lever Control. Valve Is Fitted With Micro Switches. High Pressure Carry Over Option With Plug Loose In Box.	\$325.00
ZT-L12G-6OT	Monoblock Valve 6 Station. 1/2" BSPP Ports. Max Press. 315 Bar. Nom flow 50 LPM.	\$225.00
ZT-L12G-OMS	Monoblock Hydraulic Valve 1 Station. 1/2" BSPP Ports. Nominal Diameter 12mm. Maximum Pressure 315 Bar. Nominal Flow Rate 50 LPM. Fitted With Cylinder Spool. Three Position Spring Centred Lever Control. Valve Is Fitted With Micro Switch. High Pressure Carry Over Option With Plug Loose In Box.	\$145.00
ZT-L12-PNO	Monoblock Hydraulic Valve Pneumatic Operator Kit	\$35.00